

Le Quarziti

COLORI

colours - couleurs - farbe - ЦВЕТА



Eldorado



Mato Grosso



Multicolor



Ocean




Guayana



Bahia

FORMATI

sizes - formats - format - ФОРМАТЫ



30x60 (12"x24")



45x45 (18"x18")



30x30 (12"x12")



15x15 (6"x6")

MODULARITÀ PREVISTA CON FUGA DI 3 MM. NELL'AMBITO DELLO STESSO CALIBRO.
MODULAR LAYING WITH A 3 MM. JOINT WITHIN THE SAME SIZE.
POSE MODULAIRE (OPUS) PREVUE POUR UN JOINT DE 3 MM, MÊME CALIBRE POUR TOUS LES FORMATS POSÉS.
MODULIERTE VERLEGUNG MIT 3 MM. FUGE IN RAHMEN DER GLEICHEN FORMATABMESSUNGEN.
ПРЕДУСМОТРЕННАЯ МОДУЛЬНОСТЬ С ШВОМ 3 MM В РАМКАХ ОДНОГО И ТОГО ЖЕ КАЛИБРА.



FUGA 3 mm



POSA 1/4



DIN 51130
R11



DIN 51097
B



B.C.R.A. ≥ 0,40
Cuoio asciutto
Dry leather
Cuir sec
Trackenes Leder
Сухой резина
0,53



B.C.R.A. ≥ 0,40
Gomma bagnata
Wet rubber
Caoutchouc mouillé
Nasser Gummi
Мокрая резина
0,67



Eldorado



30x60 (12"x24")
7660001

72 ●



45x45 (18"x18")
7656071

72 ●



30x30 (12"x12")
7634431

70 ●



15x15 (6"x6")
7697111

70 ●

Multicolor



30x60 (12"x24")
7660011

72 ●



45x45 (18"x18")
7656081

72 ●



30x30 (12"x12")
7634441

70 ●



15x15 (6"x6")
7697141

70 ●

Mato Grosso



30x60 (12"x24")
7660041

72 ●



45x45 (18"x18")
7656091

72 ●



30x30 (12"x12")
7634551

70 ●



15x15 (6"x6")
7697131

70 ●

Guayana



30x60 (12"x24")
7660031

72 ●



30x30 (12"x12")
7634541

70 ●



15x15 (6"x6")
7697121

70 ●

Ocean



30x60 (12"x24")
7660021

72 ●



30x30 (12"x12")
7634451

70 ●



15x15 (6"x6")
7697151

70 ●

Bahia



30x30 (12"x12")
7637211

70 ●



15x15 (6"x6")
7697301

70 ●

PEZZI SPECIALI trims - pieces speciales - formstücke - СОБЫЕЭЛЕМЕНТЫ




Elemento Elle Pressa
15x30x3,5 (6"x12"x1,4")
7634502 Multicolor
7634592 Mato Grosso
7634492 Eldorado
7634512 Ocean
7634582 Guayana

44 ▲ 8




Gradone
30x30 (12"x12")
7659091 Multicolor
7634731 Mato Grosso
7634721 Eldorado
7659081 Ocean
7659101 Guayana

66 ▲ 6



Gradone Angolare Sx
30x30 (12"x12")
7636921 Multicolor
7636911 Mato Grosso
7636891 Eldorado
7636931 Ocean
7636901 Guayana

93 ▲ 2




Gradone Angolare Dx
30x30 (12"x12")
7659131 Multicolor
7634801 Mato Grosso
7659121 Eldorado
7659111 Ocean
7659141 Guayana

93 ▲ 2



Battiscopa
7,5x30 (3"x12")
7634751 Multicolor
7634781 Mato Grosso
7634771 Eldorado
7634761 Ocean
7634791 Guayana
7637231 Bahia

14 ▲ 32



Step
30x30 (12"x12")
7634471 Multicolor
7634571 Mato Grosso
7634461 Eldorado
7634481 Ocean
7634561 Guayana
7637212 Bahia

30 ▲ 11

DECORI decors - decorations - dekore - ДЕКОР

Tecno Fascia



10x30 (4"x12")
7634701

84 ▲

Tecno Angolo



10x10 (4"x4")
7634711

58 ▲

Geo Fascia



10x30 (4"x12")
7634521

84 ▲

Geo Angolo



10x10 (4"x4")
7634531

58 ▲

IMBALLI packing - emballages - verpackung - УПАКОВКА

	mm.	PCS / BOX	M2 / BOX	BOX / PLT	M2 / PLT	KG. / PLT
30x60	9	7	1,26	40	50,40	1040
45x45	9	7	1,42	26	36,92	720,2
30x30	8	13	1,17	48	56,16	960
15x15	8	46	1,04	75	78	1200

GM		GRES PORCELLANATO CON COLORAZIONE IN MASSA		GRUPPO DI APPARTENENZA SECONDO ISO 13006		CE	
PORCELAINED STONEWARE WITH MASS COLOURING GRES CERAME AVEC PATE COLOREE DURCHGEFÄRBTES FEINSTEINZEUG GRES PORCELÁNICO CON COLORACIÓN EN MASA ФАРФОРОВЫЙ КЕРАМОГРАНИТ, ОКРАШЕННЫЙ ПО ВСЕЙ ТОЛЩИНЕ						Bla GL	
Simbologia Symbolics Symboles Symbole Simbologias Символы	Caratteristiche Features Caracteristiques Eigenschaften Características Характеристика	Unità di misura Unit of measurement Unité de mesure Masseinheit Unidad de medida Единица измерения	Valore medio Saime Saime mean value Valeur moyenne Saime Durchschnittswert-Saime Valor medio Saime Среднее значение Saime	Valore prescritto Fixed value Valeur prescrite Vorgeschriebener Wert Valor prescrito Требуемое значение	Metodo di prova Test method Méthode d'essai Prüfmethode Método de ensayo Метод испытания		
	Dimensione lati Dimensions-Lenght and widht Dimensions-Longueur et largeur Masse-Länge und Breite Dimensiones-Longitud y ancho Размеры сторон	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2		
	Rettilineità dei lati Side straightness Rectitude des arêtes Geradlinigkeit der Kanten Rectilíneidad de los lados Прямолинейность сторон	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2		
	Ortogonalità degli spigoli Corner squareness Angularité Rechtwinkligkeit der Kanten Ortogonalidad de las esquinas Ортогональность кромок	%	+/- 0,4	+/- 0,6 max	UNI EN ISO 10545-2		
	Planarità Flatness Planéité Ebenförmigkeit Planidad Плоскостность	%	+/- 0,4	+/- 0,5 max	UNI EN ISO 10545-2		
	Spessore Thickness Epaisseur Dicke Grosor Толщина	%	+/- 5,0	+/- 5,0 max	UNI EN ISO 10545-2		
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение	%	< 0,2	≤ 0,5	UNI EN ISO 10545-3		
	Sforzo di rottura Breaking strenght Contrainte de rupture Bruchkraft Esfuerzo de rotura Разрушающее усилие	N	> 1600	≥ 1300 se Spess. ≥ 7,5 ≥ 700 se Spess. ≤ 7,5	UNI EN ISO 10545-4		
	Modulo di rottura Modulus of rupture Coefficient de rupture Bruchmodul Módulo de rotura Модуль разрыва	N/mm²	> 40	≥ 35	UNI EN ISO 10545-4		
	Dilatazione termica lineare Coeff. of linear thermal expansion Coeff. d'extension thermique linéaire Linearer Wärmeausdehnungs-Koeffizient Coefficiente de dilatación térmica lineal Линейное тепловое расширение	°MK (-1)	7,0	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-8		
	Resistenza agli sbalzi termici Thermal shock resistyance Résistance aux chocs thermiques Temperaturwechsel Beständigkeit Resistencia a choque térmico Стойкость к перепадам температуры	-	resiste resist résiste widerstandsfähig resiste стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	UNI EN ISO 10545-9		
	Resistenza alle macchie Stain resistance Résistance au tâches Flecken Beständigkeit Resistencia a las manchas Стойкость к образованиюя пятен	-	≥ 3	3 MIN	UNI EN ISO 10545-14		
	Resistenza ai prodotti chimici di uso domestico Resistance to chemical products Résistance aux produits chimiques Beständigkeit gegen Chemikalien Resistencia a los productos químicos Стойкость к бытовым химикатам	-	conforme conform conforme gleichmässig conforme соответствует	MIN GB	UNI EN ISO 10545-13		
	Resistenza agli acidi e alle basi a bassa concentrazione Resistant to acids and low concentration bases Résistance aux acides et aux bases à faible concentration Widerstandsfähig gegenüber niedrig konzentrierten Säuren und Laugen Resistencia a los ácidos y las bases de baja concentración Стойкость к низким концентрациям кислот и щелочей	-	MIN GLB	secondo classificazione prodotto according to product classification selon classification produit Gemäß Produktklassifizierung СООГЛАСНО КЛАССИФИКАЦИИ ПРОДУКЦИИ	UNI EN ISO 10545-13		
	Resistenza al gelo Frost resistance Résistance au gel Frostbeständigkeit Resistencia al hielo Морозостойкость	-	resiste resist résiste widerstandsfähig resiste стойкий	richiesta request demande anfrage solicitud требуемое значение	UNI EN ISO 10545-12		
	Stabilità dei colori Colour stability Stabilité des coloris Lichtechtheit der Färbung Estabilidad de los colores Цветостойкость	-	stabile stable stable estabil estable стойкий	metodo disponibile available method méthode disponible verfügbare methode método disponible требуемое значение	DIN 51094		
	E' a disposizione della gentile clientela la lista dei nostri articoli certificati dall'ente UNI CERTIQUALITY The list of our items certified by "UNI" is available for our customers Pour tous nos clients est disponible la liste de nos produits avec la certification UNI Den Kunden steht eine Aufstellung zur Verfügung der Artikeln die mit UNI Zertifikat bescheinigt wurden La lista de nuestros artículos certificados por el Instituto UNI está a disposición de la estimada clientela. Мы можем предоставить в распоряжении наших заказчиков перечень нашей продукции, сертифицированной органом UNI						