



Inline



Inline

Il legno: elegante e d'intramontabile prestigio; la ceramica: bella, affidabile e resistente...L'unione di due preziosi materiali per dare vita ad una linea unica, prestigiosa e raffinata.

The wood: elegant and timeless prestige; the ceramics: beautiful, reliable and resistant ... The combination of two precious materials to give life to an unique line, prestigious and refined.

Дерево: элегантное и непреходящее очарование; керамика: красивая, надежная и прочная...Единение двух ценных материалов для рождения уникальной линии, престижной и изысканной.



Inline



Le calde sfumature del legno, l'affidabilità
della ceramica, l'eleganza dei decori,
per esaltare le superfici con stile e naturalezza...

The warm nuances of the wood, the reliability
of the ceramics, the elegance of the decors,
to exalt the surfaces with style and simplicity...

Теплые оттенки дерева, надежность керамического
материала, элегантность декоров создают стильную и
одновременно естественную окружающую обстановку.



Inline

Raffinati decori che
esaltano la delicata
bellezza del legno...

Sophisticated decors that
exalt the delicate
beauty of the wood...

Изысканные декоры,
подчеркивающие тонкую
красоту дерева...



SILVER



Inline Silver 60x60 - Rosone



WHITE



Inline White 60x60 - Decoro Line



Inline Bone 60x60 - Tozzetto



Inline Copper 60x60 - Fascia - Tozzetto





SMOKE

SMOKE

Inline Smoke 60x60 - Rosone

14 Inline



Inline 15



CHOKO

WHITE



G1139A INLINE WHITE RETT. 15x60 - 5,9"x23,6" 43



G1140A INLINE WHITE RETT. 30x60 - 11,8"x23,6" 40



G1141A INLINE WHITE RETT. 60x60 - 23,6"x23,6" 43



G30046 WHITE BATTISCOPA 8x60 - 3,1"x23,6" 16



G12490 WHITE MOSAICO
TESSERE 5x5 - 2"x2"
30x30 - 11,8"x11,8" 15



G10113 WHITE
TOZZETTO 14,5x14,5
5,7"x5,7" 19



G10107 WHITE FASCIA 14,5x60 - 5,7"x23,6" 43



G10101 WHITE ROSONE 60x60 - 23,6"x23,6" 73



G10125 WHITE 10
TOZZ. LINE 3,5x3,5
1,4"x1,4"



G10119 WHITE LISTELLO LINE 3,5x60 - 1,4"x23,6" 20

SILVER



G1153A INLINE SILVER RETT. 15x60 - 5,9"x23,6" 43



G1149A INLINE SILVER RETT. 30x60 - 11,8"x23,6" 40



G1144A INLINE SILVER RETT. 60x60 - 23,6"x23,6" 43



G30048 SILVER BATTISCOPA 8x60 - 3,1"x23,6" 16



G12492 SILVER MOSAICO
TESSERE 5x5 - 2"x2"
30x30 - 11,8"x11,8" 15



G10115 SILVER 19
TOZZETTO 14,5x14,5
5,7"x5,7"



G10109 SILVER FASCIA 14,5x60 - 5,7"x23,6" 43



G10103 SILVER ROSONE 60x60 - 23,6"x23,6" 73




G10127 SILVER 10
TOZZ. LINE 3,5x3,5
1,4"x1,4"



G10121 SILVER LISTELLO LINE 3,5x60 - 1,4"x23,6" 20



SMOKE



G1154A inline smoke rett. 15x60 - 5,9"x23,6" 43



G1148A inline smoke rett. 30x60 - 11,8"x23,6" 40



G1143A inline smoke rett. 60x60 - 23,6"x23,6" 43



G30049 smoke battiscopa 8x60 - 3,1"x23,6" 16



G12493 smoke mosaico tessere 5x5 - 2"x2" 30x30 - 11,8"x11,8" 15



G10114 smoke tozzetto 14,5x14,5 5,7"x5,7" 19



G10108 smoke fascia 14,5x60 - 5,7"x23,6" 43



G10102 smoke rosone 60x60 - 23,6"x23,6" 73



G10126 smoke tozz inline 3,5x3,5 1,4"x1,4" 10



G10120 smoke listello line 3,5x60 - 1,4"x23,6" 20

BONE



G1152A inline bone rett. 15x60 - 5,9"x23,6" 43



G1147A inline bone rett. 30x60 - 11,8"x23,6" 40



G1142A inline bone rett. 60x60 - 23,6"x23,6" 43



G30047 bone battiscopa 8x60 - 3,1"x23,6" 16



G12491 bone mosaico tessere 5x5 - 2"x2" 30x30 - 11,8"x11,8" 15



G10116 bone tozzetto 14,5x14,5 5,7"x5,7" 19



G10110 bone fascia 14,5x60 - 5,7"x23,6" 43



G10104 bone rosone 60x60 - 23,6"x23,6" 73



G10128 bone tozz line 3,5x3,5 1,4"x1,4" 10



G10122 bone listello line 3,5x60 - 1,4"x23,6" 20



COPPER



G1155A inline copper rett. 15x60 - 5,9"x23,6" 43



G1151A inline copper rett. 30x60 - 11,8"x23,6" 40



G1146A inline copper rett. 60x60 - 23,6"x23,6" 43



G30050 copper battiscopa 8x60 - 3,1"x23,6" 16



G12494 copper mosaico tessere 5x5 - 2"x2" 30x30 - 11,8"x11,8" 15



G10117 copper tozzetto 14,5x14,5 5,7"x5,7" 19



G10111 copper fascia 14,5x60 - 5,7"x23,6" 43



G10105 copper rosone 60x60 - 23,6"x23,6" 73



G10129 copper tozz. line 3,5x3,5 1,4"x1,4" 10



G10123 copper listello line 3,5x60 - 1,4"x23,6" 20

CHOKO



G1156A inline choko rett. 15x60 - 5,9"x23,6" 43



G1150A inline choko rett. 30x60 - 11,8"x23,6" 40



G1145A inline choko rett. 60x60 - 23,6"x23,6" 43



G30051 choko battiscopa 8x60 - 3,1"x23,6" 16



G12495 choko mosaico tessere 5x5 - 2"x2" 30x30 - 11,8"x11,8" 15



G10118 choko tozzetto 14,5x14,5 5,7"x5,7" 19



G10112 choko fascia 14,5x60 - 5,7"x23,6" 43



G10106 choko rosone 60x60 - 23,6"x23,6" 73



G10130 choko tozz. line 3,5x3,5 1,4"x1,4" 10



G10124 choko listello line 3,5x60 - 1,4"x23,6" 20




G30803 ANG. 6
BACCHETTA ALLUMINIO
1,5x1,5 - 0,6"x0,6"

G30801 BACCHETTA ALLUMINIO 19
1,5x90 - 0,6"x35,5"

G30804 ANG. 6
BACCHETTA CROMO
1,5x1,5 - 0,6"x0,6"

G30802 BACCHETTA CROMO 19
1,5x90 - 0,6"x35,5"



Gradone angolare disponibile per ogni colore della serie su richiesta.
Angular gradone available upon request for each color of the collection.

Inline

Imballaggi - packing - emballages - verpackung - Упаковки


Formato Size cm Format cm Формат см	Pezzi/scatola Pieces/box Pièces/boîte Stück/Karton Изделий/коробку	Mq/scatola Sq.Mt./box Mq/boîte Qm/Karton М2/коробку	Kg/scatola Weight/box Poids/boîte Gewichte/Karton Кг/коробку	Scatole/pallet Box/pallet Boîte/pallet Karton/pallet Коробок/паллету	Mq/pallet Sq.Mt./pallet Mq/pallet Qm/pallet М2/паллету	Kg/pallet Weight/pallet Poids/pallet Gewichte/pallet Кг/паллету	Spessore Thickness Épaisseur Stärke Толщина
60x60 Fondo rett.	3	1,08	22,40	40	43,20	916	9,5
30x60 Fondo rett.	6	1,08	22,40	48	51,84	1095,2	9,5
15x60 Fondo rett.	12	1,08	21,85	40	43,20	900	9,5
30x30 Mosaico	9	-	16,26	-	-	-	
60x60 Rosone	4	-	29,95	-	-	-	
14,5x60 Fascia	9	-	16,50	-	-	-	
14,5x14,5 Tozzetto	12	-	5,475	-	-	-	
3,5x60 Listello Line	7	-	3,20	-	-	-	
3,5x3,5 Tozzetto Line	22	-	0,683	-	-	-	
8x60 Battiscopa	20	-	20,0	30	-	-	

Inline

CARATTERISTICHE TECNICHE
Technical Characteristics - Caracteristiques Techniques - Technische Eigenschaften
CONFORME - ACCORDING TO - CONFORME - GEMÄß: ANSI 137,1 Impervious porcelain tiles

	CARATTERISTICHE TECNICHE TECHNICAL CHARACTERISTICS CARACTERISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN	METODO DI PROVA ASTM TEST METHOD ASTM MÉTHODE D'ESSAI ASTM PRÜFMETHODE ASTM	REQUISITI PRESCRITTI Required Value Valeur Requise Vorgeschriebener Wert ANSI 137,1	VALORI Value/Valueur/Wert VALLELUNGA SMALTO GLAZED GL
	ASSORBIMENTO D'ACQUA WATER ABSORPTION ABSORPTION D'EAU WASSERABSORPTION	EN-ISO 10545-3	0,5% (fully vitrified)	≤ 0,05
	RESISTENZA ALLA ROTTURA BREAKING MODULUS RÉSISTANCA À LA FLEXION BIEGEFESTIGKEIT	EN-ISO 10545-4	≥250 Pounds ≥113 Kg ≥1110 N	CONFORME Compliant
	DUREZZA MOHS MOHS HARDNESS DURETÉ MOHS HAERTE MOHS	EN-ISO 101		MOHS 5
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE RÉSISTANCE À L'ABRASION ABRASIONSWIDERSTÄNDIGKEIT	EN-ISO 10545-7	NON RICHIESTO Not required	METODO DI PROVA ISO 10545-7 PEI IV
	RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE RÉSISTANCE AUX CHOC THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT	ASTM C484	RICHIESTO required	RESISTENTE Resistant
	RESISTENZA ALL'ATTACCO CHIMICO CHIMICAL RESISTANCE RÉSISTANCE CHIMIQUE CHEMISCHE BESTÄNDIGKEIT	EN-ISO 10545-13	NON RICHIESTO Not required	RESISTENTE Resistant
	RESISTENZA AL GELO FROST RESISTANCE RÉSISTANCE AU GEL FROSTBESTÄNDIGKEIT	EN-ISO 10545-12	NON RICHIESTO Not required	RESISTENTE Resistant
	RESISTENZA ALLE MACCHIE STAIN RESISTANCE RÉSISTANCE AUX TACHES FLECKENBESTÄNDIGKEIT	EN-ISO 10545-14	NON RICHIESTO Not required	RESISTENTE Resistant
	SPESSORE THICKNESS ÉPAISSEUR STÄRKE	ASTM C485 Planarit Warpage	≤ 1,0% Sui lati/On sides ≤ 0,75% Sulle diagonali/On diagonals	CONFORME Compliant
		ASTM C499 Dimensioni Dimensions	≤ 3,0% Sulle dimensioni nominali Of nominal dimensions ≤ 1,5% Differenza nel lotto tra valori min. e max./Difference in batch between min. and major values	CONFORME Compliant
		ASTM C499 Spessore Tickness	Differenza nel lotto tra spessore min. e max. Difference in batch between min. and major thickness	CONFORME Compliant
		ASTM C502 Parallelismo dei lati Wedging	≤ 1,0 %	CONFORME Compliant

AMOUNT OF
COLOUR
VARIATION



V3
HIGH
COLOR
VARIATION



MADE IN
ITALY





01036 NEPI (VT) Loc. Settevene Via dell'Industria n, 7 Tel. 0761 5291 - 4 linee - Fax. 0761 527156
www.vallelungacer.it - www.vallelungaceramica.ru