



# INDUFLOOR®-IB 1240 ( - 1240)

5 55004

20/11 (DG)

INDUFLOOR-IB 1240 – 2-

- ~70
- -4 ( DIN)
- 100:12
- ~ 1,86 / <sup>3</sup>
- ~ 60 +23
- ~ 30 +30
- Sd (> 300 , +8 , +30
- ) 12
- +23
- 12 - 24
- +23

INDUFLOOR-IB 1240

- - 7 +23
- +8 ( )
- 600 – 1000 / <sup>2</sup>
- 80 / <sup>2</sup>
- 30 / <sup>2</sup>
- INDUFLOOR
- 738552
- (DIN 16726,
- )
- 1,5
- INDUFLOOR-IB 1240 15- ; 28-
- 24
- +10
- 2-



INDUFLOOR-IB 1240

- 
- 

Def. RiLi SIB\*)  
 \* « » 2, 1.2.5 «  
 « » 2

+23 50%

+15

« »

INDUFLOOR-IB 1240

INDU-Olreiniger,

0,5 – 1,0 0,7-1,2

- 

0,6 1,0 / 2  
1,5

INDUFLOOR-IB 1240.

/ 2

12 – 24

INDUFLOOR,

12 ( +23 )

INDUFLOOR-IB 1240.

– 600 / 2,

- 
- 
- 
- 

20/25  
EN 13813

- 25-F4

> 1,5

. PIII / PIIIb

0,8 / 2

( ) ,



